

6 Gang switch panel

3 zones, 6 fused outputs

Visit [HeiseLED.com](https://www.HeiseLED.com) to view the available other Heise vehicle accessories.

KIT INFORMATION

- **3 Fused zones**
- **Painted aluminum base**
- **DEUTSCH trigger connection lead**
- **Polycarbonate smoked cover**
- **Blown fuse indicator**
- **Spare fuses and fuse puller**

WHAT'S IN THE BOX

- **#2 Philips mount screws**
- **6 gang switch panel**
- **(3) 30A, (3) 20A, (3) 15A fuses**
- **DEUTSCH trigger with 6 leads**

Having difficulties?

Contact our tech support line at:
Techsupport@metra-autosound.com

Or via phone at:
368.257.1187

TECH SUPPORT HOURS (EST)

Monday-Friday: 9:00AM - 7:00PM
Saturday: 10:00AM - 5:00PM
Sunday: 10:00AM - 4:00PM

Closed for most US Federal Holidays

Power Connections:

GND - Connect the ground lug to chassis ground.

+12V - Connect the 12 Volt lug to the vehicle battery. Recommended 130 amp in line fuse.

VCC - Connect the REM IN wire to ignition, battery or some switched 12V DC wire to control on/off


Connections:

Channels 1 and 2 can handle 15 amps each

Channels 3 and 4 can handle 20 amps each

Channels 5 and 6 can handle 30 amps each

NOTE: The control box requires that the accessories + and - wires be connected to the control box, not to chassis ground. Doing so can result in equipment failure.



- RED: 15A
- Orange: 15A
- Yellow: 20A
- Green: 20A
- Black: 30A
- White: 30A

Triggers: Ground triggers, designed for latching switches

Blown fuse indicator:

When the red LED is on, the fuse is missing or blown for that circuit



Mounting:

Using the supplied #2 Phillips screws to mount the switch panel

NOTE: The slots can be used with cable ties for cable management

