

AXPIOB-VW2 INSTALLATION INSTRUCTIONS



WIRING & ANTENNA CONNECTIONS

Wiring Harness: Included with Kit Antenna Adapter: Included with Kit GPS Antenna Adapter: Included with Kit

MetraOnline.com may be used to assist with dash assembly instructions. Simply enter your Year, Make, Model vehicle into the vehicle fit guide and look for the Dash Kit Installation Instructions.

www.MetraOnline.com



Volkswagen **Pioneer Basic Package 2015-UP***

* Visit AxxessInterfaces.com for more detailed information about the product and up-to-date vehicle specific applications

FEATURES

- Designed for non-amplified vehicles
- Provides accessory power (12-volt 10-amp)
- Retains R.A.P. (retained accessory power)
- Provides NAV outputs (parking brake, reverse, speed sense)
- Allows visual of HVAC and gauges on Pioneer screen
- Allows adjustment of HVAC functions through Pioneer screen
- Retains audio controls on the steering wheel
- Allows for auto stop/start override (if equipped)
- Works in both Single and Dual-zone vehicles
- Micro-B USB updatable
- Allows the retention and adjustment of the OE Personalization Settings
- Plug-n-Play installation
- Includes radio antenna adapter & antenna adapter for GPS

TABLE OF CONTENTS

nterface Installation	2
adio Operation	3-4
pplicable Radio Models	

TOOLS REQUIRED

- Crimping tool and connectors, or solder gun, solder, and heat shrink Tape Wire cutter
- Zip-ties


KIT COMPONENTS

• LD-9006-PIO • Radio interface • PRO4AVIC-PIO and PRO4-PIORCA Harness • 40-FIJ56 • 40-GPS-PIO

ATTENTION: With the key out of the ignition, disconnect the negative battery terminal before installing this product. Ensure that all installation connections, especially the air bag indicator lights, are plugged in before reconnecting the battery or cycling the ignition to test this product.

NOTE: Refer also to the instructions included with the aftermarket accessory before installing this device.


INTERFACE INSTALLATION



RADIO OPERATION

Vehicle Selection – Allows you to select the vehicle the radio is being installed in.

 Vehicle type must be selected to activate menu & HVAC functions, as well as steering wheel controls. Press Make to change the vehicle type. Then press Confirm. The radio will then reset and lock in the selected vehicle.





Car Features – The source for accessing all vehicle information and options.





RADIO OPERATION (CONT)

HVAC Operation – HVAC Status and Control Screen.



Vehicle Info Screen – Displays various information of the vehicle (TPMS, Park Position, Lights).




Customizations Menu – Allows full control of vehicle personalization options.

• Access this menu by selecting the gear icon on the previous screenshot.



About Screen – Feedback screen for interface software information.



APPLICABLE PIONEER RADIO MODELS

- **DMH-W4660NEX** (6.8" shallow mount for Best Buy)
- **DMH-W4600NEX** (6.8" shallow mount)
- **DMH-WC6600NEX** (9" 2 piece radio)
- **DMH-WT7600NEX** (9" floating radio)
- **DMH-WT86NEX** (10.1" floating radio)

- **DMH-WT76NEX** (9" floating radio without remote control)
- **DMH-WT5700NEX** (6.8" 2 piece radio)
- **DMH-WT8600NEX** (10.1" 2 without the remote)
- **DMH-WT3800NES** (New 9")







Having difficulties? We're here to help.



Contact our Tech Support line at: **386-257-1187**



Or via email at: techsupport@metra-autosound.com

Tech Support Hours (Eastern Standard Time)

Monday - Friday: 9:00 AM - 7:00 PM Saturday: 10:00 AM - 5:00 PM Sunday: 10:00 AM - 4:00 PM



Metra recommends MECP certified technicians