



Toyota/Lexus/Scion ASWC-1/AXSWC Harness

Visit MetraOnline.com for more detailed information about the product and up-to-date vehicle specific applications

APPLICATIONS

LEXUS	TOYOTA	TOYOTA (cont.)	TOYOTA (cont.)
ES-Series.....2002-2011	4-Runner*.....2012-2013	Highlander.....2004-2012	Tacoma*.....2012
GX-Series.....2003-2009	4-Runner.....2003-2011	Matrix*.....2013	Tacoma.....2005-2011
RX-Series.....2004-2009	Avalon.....2005-2012	Matrix.....2009-2012	Tundra.....2003-2013
	Camry.....2005-2011	Prius.....2004-2011	Venza.....2009-2012
SCION	Corolla*.....2011-2013	Rav-4.....2005-2011	
iQ.....2012-2015	Corolla.....2009-2010	Sequoia*.....2013	
tC.....2005-2013	FJ Cruiser*.....2013-2014	Sequoia.....2003-2012	
xA.....2004-2006	FJ Cruiser.....2007-2012	Sienna.....2003-2014	
xB.....2004-2015	Highlander*.....2013	Solara.....2004-2008	
xD.....2008-2014			

* These vehicles use either a 20-Pin or 28-pin connector for the steering wheel control harness. If your vehicle uses a 28-pin connector, please use the AX-TOY28SWC instead.

TABLE OF CONTENTS

Connections.....2

ATTENTION: With the key out of the ignition, disconnect the negative battery terminal before installing this product. Ensure that all installation connections are secure before cycling the ignition to test this product.
NOTE: Refer also to the instructions included with the aftermarket radio.

CONNECTIONS

When installing an aftermarket radio, the **70-8114** will allow the user to retain their factory installed steering wheel controls without having to splice into the factory wiring (**ASWC-1/AXSWC** required and sold separately). In addition, we include RCA's to allow the user to retain their factory installed 3.5mm AUX IN jack (aftermarket radio must have an audio AUX IN).

Connect as indicated:

- **Red wire** to 12-volt accessory power.
- **Black wire** to chassis ground (by itself).
- **White RCA jack** to the left audio AUX IN of the aftermarket radio (if equipped).
- **Red RCA** to the right audio AUX IN of the aftermarket radio (if equipped).
- **3.5mm jack** to the steering wheel control input in the aftermarket radio.

Note:

- Audio devices connected through the vehicle's **3.5mm AUX jack** will be controlled from the audio device, not the aftermarket radio.
- Please refer to the **ASWC-1/AXSWC** programming instructions for programming of the **ASWC-1/AXSWC**.



70-8114
INSTALLATION INSTRUCTIONS



Having difficulties? We're here to help.



Contact our Tech Support line at:

386-257-1187



Or via email at:

techsupport@metra-autosound.com

Tech Support Hours (Eastern Standard Time)

Monday - Friday: 9:00 AM - 7:00 PM

Saturday: 10:00 AM - 7:00 PM

Sunday: 10:00 AM - 4:00 PM



KNOWLEDGE IS POWER

Enhance your installation and fabrication skills by enrolling in the most recognized and respected mobile electronics school in our industry. Log onto www.installerinstitute.edu or call 386-672-5771 for more information and take steps toward a better tomorrow.



**Metra recommends MECP
certified technicians**