

## **AXPIOB-GM1** INSTALLATION INSTRUCTIONS



## **KIT COMPONENTS**

**Not Shown:** Radio Interface, LD-3010-PIO, AD-EU5, 40-GPS-PIO, PR04AVIC-PIO / PR04-PIORCA, LD-AX-SPK

# Pru4avil-Piu / Pru4-Piu

MetraOnline.com may be used to assist with dash assembly instructions. Simply enter your Year, Make, Model vehicle into the vehicle fit guide and look for the Dash Kit Installation Instructions.



www.MetraOnline.com

# GM Pioneer Basic Package 2010-2015

Visit <u>AxxessInterfaces.com</u> for more detailed information about the product and up-to-date vehicle specific applications.

#### **KIT FEATURES**)

- Designed for select Pioneer receivers
- Designed for non-amplified vehicles only (to retain Bose amplifier purchase AXM50-GM1)
- Allows for the retention and adjustment of the factory personalization menu through the Pioneer radio
- Provides a visual view of HVAC and gauges on the Pioneer screen (cannot be adjusted via the screen)
- Complete Plug-n-Play installation
- Includes radio antenna adaptor for GPS
- Provides accessory power (12-volt 10-amp)
- Provides NAV outputs (parking brake, reverse, speed sense)
- Retains audio controls on the steering wheel
- Works in both single and dual-zone vehicles
- Retains safety chimes through an included off-board speaker
- USB Micro B updatable

### **TABLE OF CONTENTS**

Connections	2
Radio Operations	
Applicable Radio Models	
Applicable Radio Floreis	

#### WIRING & ANTENNA CONNECTIONS (sold separately)

• RGB Extension Cable: Pioneer part # CD-RGB150E (not sold by Metra)


## **TOOLS REQUIRED**

- Crimping tool and connectors, or solder gun, solder, and heat shrink Tape Wire cutter
- Zip ties Multimeter

**ATTENTION:** With the key out of the ignition, disconnect the negative battery terminal before installing this product. Ensure that all installation connections, especially the air bag indicator lights, are plugged in before reconnecting the battery or cycling the ignition to test this product.

**NOTE:** Refer also to the instructions included with the aftermarket radio.

## CONNECTIONS



AXXESS

## **RADIO OPERATIONS**

### **Vehicle Selection**

- Allows the selection of the vehicle the Pioneer radio is being installed in.
- Select Make, Model and Trim to activate the extended functions of the radio.
- The vehicle type must be selected to activate iPod, Bluetooth, backup cameras, as well as HVAC functions and steering wheel controls.
- Press Confirm to lock in the selection.

No Selection
Confirm

ケ Vehicle Selection	
Make	Chevrolet
Model	Silverado
Trim	All
Save to Flash and Restart	Confirm

#### **Car Features**

The source for accessing all vehicle information and options.

Car Features	(1: ¢
HD Radio	EQ Custom1
<b>Bluetooth Audio</b>	
iPod	
Browser	
AUX	



## RADIO OPERATIONS (CONT.)

#### Customizations Menu: Allows full control of vehicle personalization options.

Access this menu by selecting Settings (gear icon) on the previous screenshot:

Provides Steering Wheel Control
(SWC)

Configuration.

• Dual Assignment: Assign (2) functions to a single SWC button.

• Remap: Reassign a button on the SWC.

つ Customizations	
General	
Units	
Safety/Assistance	
Lights	
Doors & Locks	

Climate Screen: HVAC Status only

c	limate		٩	¢ ×	<
		-6	0°F		
=	<b>▲</b> 51	9°F	<b>59</b>	F 🔽	
		-	4111 +		
	▼ ₩	Auto Sy	/nc Dual	*	
		A/C Max A/C	<b>\$</b>		
1	<b>T</b>	Ľ* Ø		2 🔽	

**Vehicle Information Screen :** The source for accessing all vehicle information and options.



Radio ID Screen : Feedback screen for interface software information.

Helpful information for troubleshooting.





## **APPLICABLE PIONEER RADIO MODELS**

- DMH-W4660NEX (6.8" shallow mount for Best Buy)
- DMH-W4600NEX (6.8" shallow mount)
- DMH-WC6600NEX (9" 2 piece radio)
- DMH-WT7600NEX (9" floating radio)
- DMH-WT86NEX (10.1" floating radio)

- DMH-WT76NEX (9" floating radio without remote control)
- DMH-WT5700NEX (6.8" 2 piece radio)
- DMH-WT8600NEX (10.1" 2 without the remote)
- DMH-WT3800NES (New 9")

## **Tuner Location**











Having difficulties? We're here to help.



Contact our Tech Support line at: **386-257-1187** 



Or via email at: techsupport@metra-autosound.com

### Tech Support Hours (Eastern Standard Time)

Monday - Friday: 9:00 AM - 7:00 PM Saturday: 10:00 AM - 5:00 PM Sunday: 10:00 AM - 4:00 PM



Metra recommends MECP certified technicians